



Dated 1 February 2019

Caulkmate

A unique caulking gun applicator for caulking corner junctions.

For joint sealing and waterproofing systems

Technical Data Sheet

DESCRIPTION

An initiative product that simply attaches to caulking guns, removing the need to use your hands

Caulkmate is an Australian design initiative for joint sealing applications. Made of Nitrile Rubber makes a flexible solution for your caulking needs.



For all your vertical and horizontal joint sealing needs.
Caulkmate enables you to run a professional bead of joint sealant with ease.

APPLICATION

- Caulkmate is supplied with a corking gun nozzle – ready to use.
- Simply place the caulkmate with nozzle into the caulking gun as you would a normal nozzle and off you go.

PACKAGING

Pack of 3 caulkmate applicators with nozzles.

Benefits


- A cost-effective caulking applicator
- Continual application
- Smooth finish
- No mess
- Minimal joint sealant wastage
- Durable
- Easy to use
- Professional caulking made easy
- Compatible with most joint sealants and MS Polymer Sealants
- Non-Hazardous

STORAGE AND SHELF LIFE

- Product should be stored in the original unopened/undamaged packaging in a cool, dry area which is protected from sunlight.

Handy Tips

- Optimal application temperature is between 15-25°C.
- Do not discharge into sewer or waterways
- For applications/situations not mentioned in this data sheet please contact www.thewaterproofingshop.com.au



SAFETY PRECAUTIONS

Additional information is listed in the Safety Data Sheet.

The use of gloves is recommended. Use in well ventilated areas.

When handling, **DO NOT** eat, drink or smoke.

DO NOT allow wash water from cleaning or process equipment to enter drains.

DATA SHEET

Data provided is typical but does not constitute a full specification. This should be sighted from the company for specific projects.

This Technical Data Sheet may be revised at any time to comply with relevant changes to the Australian Standards or to include changes to current technology.

For up to date data it is always best to request a copy from The Waterproofing Shop on 02 8021 3517 or email admin@thewaterproofingshop.com.au

IMPORTANT NOTICE

Always read the MSDS and TDS carefully prior to use as application or performance. Data may change from time to time. A material Safety Data Sheet (SDS) can also be obtained as per above. In emergency, contact the Poisons Information Centre (phone 13 11 26 within Australia) or a doctor for advice.

WARRANTY

Caulkmate Pty Ltd warrants its Caulkmate Applicator to be free of defects in materials but makes no warranty as to appearance or colour.

Due to the performance of any product being subject to a wide variety of field and surface conditions we are unable to assume liability for any loss, consequential or otherwise that may arise from the use of our products. Any failure or damage caused by the incorrect, careless or negligent usage of the product including use of out of date product is not the responsibility of the manufacturer. Caulkmate Pty Ltd makes no other warranty, expressed or implied, including warranties of MERCHANTABILITY and FITNESS FOR A PARTICULAR PURPOSE. Caulkmate Pty Ltd, sole liability is limited to its discretion, to replace or to refund the purchase price of the quantity of the products supplied that has been proved to be defective. Under no circumstances will the company be liable for loss, consequential or otherwise, arising from the use of the product.

CONDITIONS OF USE AND PRODUCT DISCLAIMER

DISCLAIMER The information supplied in this data sheet are given in good faith and represent the best of our knowledge and experience at the time of printing. We reserve the right to update information without prior notice to you to reflect our ongoing research and development program. Customers are advised to undertake their own assessment to determine suitability of a product for the particular use intended. It is the consumers responsibility to ensure that our products are used and handled correctly and in accordance with any applicable Australian Standard, our instructions and recommendations and only for the uses they are intended. Our advice, recommendation, information, assistance or service provided in relation to its products or their use is given in good faith, however is provided without responsibility or liability. Country specific recommendations, depending on local standards, codes of practice, building regulations or industry guidelines, may affect specific installation recommendations

The supply of our products and services is also subject to certain terms, warranties and exclusions, which may have already been disclosed to you in prior dealings or are otherwise available to you on request. You should make yourself familiar with them.

Caulkmate Applicator - Australian Design No. 201516348

Caulkmate PTY LTD

ABN **82 609 456 359**

Unit 22/872 Canterbury Road Roselands NSW 2196

Ph: 02 8021 3517

Fax: 02 8021 3519

www.thewaterproofingshop.com.au